



A.C.Camargo Cancer Center



PRODUÇÃO
CIENTÍFICA
2015

Lista de publicações de 2015

- 1 Aita G, da Costa WH, de Cassio Zequi S, da Cunha IW, Soares F, Guimaraes GC, Lopes A. Pattern of invasion is the most important prognostic factor in patients with penile cancer submitted to lymph node dissection and pathological absence of lymph node metastasis (pN0). *BJU Int* 2015; 116(4):584-9. doi: 10.1111/bju.13071
- 2 Almangush A, Bello IO, Coletta RD, Mäkitie AA, Mäkinen LK, Kauppila JH, Pukkila M, Hagström J, Laranne J, Soini Y, Kosma VM, Koivunen P, Natalie Kelner, Kowalski LP, Grénman R, Leivo I, Läärä E, Salo T. For early-stage oral tongue cancer, depth of invasion and worst pattern of invasion are the strongest pathological predictors for locoregional recurrence and mortality. *Virchows Arch* 2015; 467(1):39-46. doi: 10.1007/s00428-015-1758-z
- 3 Almangush A, Coletta RD, Bello IO, Bitu C, Keski-Säntti H, Mäkinen LK, Kauppila JH, Pukkila M, Hagström J, Laranne J, Tommola S, Soini Y, Kosma VM, Koivunen P, Kowalski LP, Nieminen P, Grénman R, Leivo I, Salo T. A simple novel prognostic model for early stage oral tongue cancer. *Int J Oral Maxillofac Surg* 2015; 44(2):143-50. doi: 10.1016/j.ijom.2014.10.004
- 4 Aloia TA, Járufe N, Javle M, Maithel SK, Roa JC, Adsay V, Coimbra FJ, Jarnagin WR. Gallbladder cancer: expert consensus statement. *HPB (Oxford)* 2015; 17(8):681-90. doi: 10.1111/hpb.12444
- 5 Alves GR, Marchiori E, Irion KL, Guimaraes MD, da Cunha CF, de Souza VV, Hochhegger B. Mediastinal lymph nodes and pulmonary nodules in children: MDCT findings in a cohort of healthy subjects. *AJR Am J Roentgenol* 2015; 204(1):35-7. doi: 10.2214/AJR.14.12773
- 6 Amit M, Yen TC, Liao CT, Chaturvedi P, Agarwal JP, Kowalski LP, Hugo Fontan Kohler, Ebrahimi A, Clark JR, Cernea CR, Brandao SJ, Kreppel M, Zöller J, Fliss MD, Bachar G, Shpitzer T, Bolzoni VA, Patel PR, Jonnalagadda S, Robbins KT, Iyer NG, Skanthakumar T, Shah JP, Patel SG, Gil Z. Prognostic performance of current stage iii oral cancer patients after curative intent resection: evidence to support a revision of the american joint committee on cancer staging system. *Ann Surg Oncol* 2015; 22 Suppl 3:985-91. doi: 10.1245/s10434-015-4842-3
- 7 Andrade GC, Pinto NP, Motono M, Chojniak MM, Chojniak R, Stephanía Martins Bezerra. Trilateral retinoblastoma with unilateral eye involvement. *Rev Assoc Med Bras* 2015; 61(4):308-10. doi: 10.1590/1806-9282.61.04.308

- 8** Andrade VP, Morrogh M, Qin LX, Olvera N, Giri D, Muhsen S, Sakr RA, Schizas M, Ng CK, Arroyo CD, Brogi E, Viale A, Morrow M, Reis-Filho JS, King TA. Gene expression profiling of lobular carcinoma in situ reveals candidate precursor genes for invasion. *Mol Oncol* 2015; 9(4):772-82. doi: 10.1016/j.molonc.2014.12.005
- 9** Araújo JP, Cadavid AM, Lemos CA, Trierveiler M, Alves FA. Bilateral mandibular osteomyelitis mimicking periapical cysts in a patient with sickle cell anemia. *Autops Case Rep* 2015; 5(3):55-60. doi: 10.4322/acr.2015.013. eCollection
- 10** Araujo JP, Jaguar GC, Alves FA. Syphilis related to atypical oral lesions affecting an elderly man. a case report. *Gerodontology* 2015; 32(1):73-5. doi: 10.1111/ger.12047
- 11** Ariana Ferrari, de Carvalho AM, Steluti J, Teixeira J, Marchioni DM, Aguiar S. Folate and nutrients involved in the 1-carbon cycle in the pretreatment of patients for colorectal cancer. *Nutrients* 2015; 7(6):4318-35. doi: 10.3390/nu7064318
- 12** Averbach M, Zago RD, Popoutchi P, Filho CA, Júnior OW. Adult ileocolic intussusception: endoscopic treatment. *Gastrointest Endosc* 2015; 81(2):464-5. doi: 10.1016/j.gie.2014.04.045
- 13** Baiocchi G, Mantoan H, de Brot L, Badiglian-Filho L, Kumagai LY, Faloppa CC, Costa AA. How important is the pathological margin distance in vulvar cancer? *Eur J Surg Oncol* 2015; 41(12):1653-8. doi: 10.1016/j.ejso.2015.09.024.
- 14** Bancovik J, Moreira DF, Carrasco D, Yao J, Porter D, Moura R, Camargo A, Fontes-Oliveira CC, Malpartida MG, Carambula S, Vannier E, Strauss BE, Wakamatsu A, Alves VA, Logullo AF, Soares FA, Polyak K, Belizário JE. Dermcidin exerts its oncogenic effects in breast cancer via modulation of ERBB signaling. *BMC Cancer* 2015; 15:70. doi: 10.1186/s12885-015-1022-6
- 15** Barros-Filho MC, Albuquerque Marchi F, Pinto CA, Rogatto SR, Kowalski LP. High diagnostic accuracy based on CLDN10, HMGA2 and LAMB3 transcripts in papillary thyroid carcinoma. *J Clin Endocrinol Metab* 2015; 100(6):E890-9. doi: 10.1210/jc.2014-4053
- 16** Basso TR, Villacis RA, Canto ML, Alves VM, Lapa RM, Nóbrega AF, Achatz MI, Rogatto SR. Genomic profile of a Li-Fraumeni-like syndrome patient with a 45,X/46,XX karyotype, presenting neither mutations in TP53 nor clinical stigmata of Turner syndrome. *Cancer Genet* 2015; 208(6):341-4. doi: 10.1016/j.cancergen.2015.03.004
- 17** Belone Ade F, Rosa PS, Trombone AP, Fachin LR, Guidella CC, Ura S, Barreto JA, Pinilla-Fernández MG, de Carvalho AF, Carraro DM, Soares FA, Soares CT. Genome-wide screening of mRNA expression in leprosy patients. *Front Genet* 2015; 6:334. doi: 10.3389/fgene.2015.00334. eCollection 2015
- 18** Beraldo FH, Thomas A, Kolisnyk B, Hirata PH, De Jaeger X, Martyn AC, Fan J, Goncalves DF, Cowan MF, Masood T, Martins VR, Gros R, Prado VF, Prado MA. Hyperactivity and attention deficits in mice with decreased levels of stress inducible phosphoprotein 1 (STIP1). *Dis Model Mech* 2015; 8(11):1457-66. doi: 10.1242/dmm.022525
- 19** Bertolli E, Bevilacqua JL, Molina A, Macedo MP, Pinto, Duprat Neto JP. Popliteal sentinel lymph node involvement in melanoma patients. *J Surg Oncol* 2015; 112(2):179-82. doi: 10.1002/jso.23978
- 20** Bertolli E, Campagnari M, Molina AS, Macedo MP, Pinto CA, Cunha IW, Duprat Neto JP. Artificial dermis (Matriderm®) followed by skin graft as an option in dermatofibrosarcoma protuberans with complete circumferential and peripheral deep margin assessment. *Int Wound J* 2015; 12(5):545-7. doi: 10.1111/iwj.12157
- 21** Bertolli E, Macedo MP, Pinto CA, Damascena AS, Molina AS, Ueno PS, Neto JP. Evaluation of melanoma features and their relationship with nodal disease: the importance of the pathological report. *Tumori* 2015; 101(5):501-5. doi: 10.5301/tj.5000298

- 22** Bertonha FB, Mateus de Camargo Barros Filho, Kuasne H, Dos Reis PP, da Costa Prando E, Muñoz JJ, Roffé M, Hajj GN, Kowalski LP, Rainho CA, Rogatto SR. PHF21B as a candidate tumor suppressor gene in head and neck squamous cell carcinomas. *Mol Oncol* 2015; 9(2):450-62. doi: 10.1016/j.molonc.2014.09.009
- 23** Bitencourt AG, Pereira NP, França LK, Silva CB, Paludo J, Paiva HL, Graziano L, Guatelli CS, Souza JA, Marques EF. Role of MRI in the staging of breast cancer patients: does histological type and molecular subtype matter? *Br J Radiol* 2015; 88(1055):20150458. doi: 10.1259/bjr.20150458
- 24** Bitencourt AGV, Graziano L, Guimarães MD. Ultrasound-guided fine needle aspiration of breast lesions: review of technique and imaging findings. *OMICS J Radiol* 2015; 4:198. doi:10.4172/2167-7964.1000198
- 25** Blumetti TC, Cohen MP, Gomes EE, Macedo MP, Ferreira de Souza Begnami MD, Tavares Guerreiro Fregnani JH, Duprat JP, Pellacani G, Rezze GG. Optical coherence tomography (OCT) features of nevi and melanomas and their association with intraepidermal or dermal involvement: A pilot study. *J Am Acad Dermatol* 2015; 73(2):315-7. doi: 10.1016/j.jaad.2015.05.009
- 26** Brunetto AL, Castillo LA, Petrilli AS, Macedo CD, Boldrini E, Costa C, Almeida MT, Kirst D, Rodriguez-Galindo C, Pereira WV, Watanabe FM, Pizza M, Benites E, Morais V, Gadelha A, Nakasato A, Abujamra AL, Gregianin LJ; Brazilian Collaborative On behalf of the Brazilian Collaborative Study Group of Ewing Family of Tumors - EWING1 and the Brazilian Society of Pediatric Oncology - SOBOPE. Carboplatin in the treatment of Ewing sarcoma: results of the first Brazilian collaborative study group for Ewing sarcoma family tumors-EWING1. *Pediatr Blood Cancer* 2015; 62(10):1747-53. doi: 10.1002/pbc.25562
- 27** Bufalino A, Cervigne NK, de Oliveira CE, Fonseca FP, Rodrigues PC, Macedo CC, Sobral LM, Miguel MC, Lopes MA, Paes Leme AF, Lambert DW, Salo TA, Kowalski LP, Graner E, Coletta RD. Low miR-143/miR-145 cluster levels induce activin a overexpression in oral squamous cell carcinomas, which contributes to poor prognosis. *PLoS One* 2015; 10(8):e0136599. doi:10.1371/journal.pone.0136599
- 28** Buim ME, Fanelli MF, Souza VS, Romero J, Abdallah EA, Alves V, Ocea LM, Mingues NB, Barbosa PNV, Tyng CJ, Chojniak R, Chinien LT. Detection of KRAS mutations in circulating tumor cells from patients with metastatic colorectal cancer. *Cancer Biol Ther* 2015; 16(9):1289-95. doi: 10.1080/15384047.2015.1070991
- 29** Busso AF, Marchi FA, Kuasne H, Scapulatempo Neto C, Trindade-Filho JC, de Jesus CM, Lopes A, Guimaraes GC, Rogatto SR. Genomic profiling of human penile carcinoma predicts worse prognosis and survival. *Cancer Prev Res (Phila)* 2015; 8(2):149-56. doi: 10.1158/1940-6207.CAPR-14-0284
- 30** Campos AH, Schreeder M, Parry-Jones A, Abdelhafiz AS, Larson D, Pruetz B, Geddes T, Salman A, Lazaris A. Addressing the Challenge of Financial Sustainability in Biobanking. *Biopreserv Biobank* 2015; 13(6):387-95. doi: 10.1089/bio.2015.29042. ahc
- 31** Campos AH, Soares FA. Challenges in Developing a cancer oriented-biobank: experience from a 17 year-old cancer biobank in Sao Paulo, Brazil. *Adv Exp Med Biol* 2015; 864:115-23. doi: 10.1007/978-3-319-20579-3_9
- 32** Carneiro da Silva F, Ferreira JR, Torrezan GT, Figueiredo MC, Santos ÉM, Nakagawa WT, Brianese RC, Petrolini de Oliveira L, Begnani MD, Aguiar-Junior S, Rossi BM, Ferreira Fde O, Carraro DM. Clinical and molecular characterization of brazilian patients suspected to have lynch syndrome. *PLoS One* 2015; 10(10):e0139753. doi: 10.1371/journal.pone.0139753. eCollection 2015

- 33** Caruso P. The author replies. *Crit Care Med* 2015; 43(3):e99-e100. doi: 10.1097/CCM.0000000000000848
- 34** Carvalho AY, Chulam TC, Kowalski LP. Long-term results of observation vs prophylactic selective level vi neck dissection for papillary thyroid carcinoma at a cancer center. *JAMA Otolaryngol Head Neck Surg* 2015; 141(7):599-606. doi: 10.1001/jamaoto.2015.0786
- 35** Castro DL, Santos VL. Controlling wound odor with metronidazole: a systematic review. *Rev Esc Enferm USP* 2015; 49(5):858-63. doi: 10.1590/S0080-623420150000500021
- 36** Castro DLV, Santos VLCG. Odor management in fungating wounds with metronidazole: a systematic review. *J Hospice Palliative Nursing* 2015; 17(1):73-9
- 37** Castro RPR, Stephens A, Fraga-Braghioli NA, Oliviero MC, Rezze GG, Rabinovitz H, Scope A. Accuracy of in vivo confocal microscopy for diagnosis of basal cell carcinoma: a comparative study between handheld and wide-probe confocal imaging. *J Eur Acad Dermatol Venereol* 2015; 29(6):1164-9. doi: 10.1111/jdv.12780
- 38** Cavalcante RN, Nishinari K, Yazbek G, Krutman M, Guillherme Bomfim, Wolosker N. Severe visceral ischemia and death after multilayer stent deployment for the treatment of a thoracoabdominal aortic aneurysm. *J Vasc Surg* 2015; 62(6):1632-5. doi: 10.1016/j.jvs.2014.04.032
- 39** Cerqueira OL, Truesdell P, Baldassarre T, Vilella-Arias SA, Watt K, Meens J, Chander H, Osório CA, Soares FA, Reis EM, Craig AW. CIP4 promotes metastasis in triple-negative breast cancer and is associated with poor patient prognosis. *Oncotarget* 2015; 6(11):9397-408
- 40** Cheng TH, Thompson D, Painter J, O'Mara T, Gorman M, Martin L, Palles C, Jones A, Buchanan DD, Ko Win A, Hopper J, Jenkins M, Lindor NM, Newcomb PA, Gallinger S, Conti D, Schumacher F, Casey G, Giles GG, Pharoah P, Peto J, Cox A, Swerdlow A, Couch F, Cunningham JM, Goode EL, Winham SJ, Lambrechts D, Fasching P, Burwinkel B, Brenner H, Brauch H, Chang-Claude J, Salvesen HB, Kristensen V, Darabi H, Li J, Liu T, Lindblom A, Hall P, de Polanco ME, Sans M, Carracedo A, Castellvi-Bel S, Rojas-Martinez A, Aguiar Jnr S, Teixeira MR, Dunning AM, Dennis J, Otton G, Proietto T, Holliday E, Attia J, Ashton K, Scott RJ, McEvoy M, Dowdy SC, Fridley BL, Werner HM, Trovik J, Njolstad TS, Tham E, Mints M, Runnebaum I, Hillemanns P, Dörk T, Amant F, Schrauwen S, Hein A, Beckmann MW, Ekici A, Czene K, Meindl A, Bolla MK, Michailidou K, Tyrer JP, Wang Q, Ahmed S, Healey CS, Shah M, Annibali D, Depreeuw J, Al-Tassan NA, Harris R, Meyer BF, Whiffin N, Hosking FJ, Kinnersley B, Farrington SM, Timofeeva M, Tenesa A, Campbell H, Haile RW, Hodgson S, Carvajal-Carmona L, Cheadle JP, Easton D, Dunlop M, Houlston R, Spurdle A, Tomlinson I. Meta-analysis of genome-wide association studies identifies common susceptibility polymorphisms for colorectal and endometrial cancer near SH2B3 and TSHZ1. *Sci Rep* 2015; 5:17369. doi: 10.1038/srep17369
- 41** Chesoni SA, Bach JR, Okamura EM. Massive reflux and aspiration after radiographically inserted gastrostomy tube placement. *Am J Phys Med Rehabil* 2015; 94(1):e6-9. doi: 10.1097/PHM.0000000000000239
- 42** Chiappelli F, Bakhordarian A, Thames AD, Du AM, Jan AL, Nahcivan M, Nguyen MT, Sama N, Manfrini E, Piva F, Rocha RM, Maida CA. Ebola: translational science considerations. *J Transl Med* 2015; 13(1):11. doi: 10.1186/s12967-014-0362-3

- 43** Chojniak R. Incidentalomas: managing risks. *Radiol Bras* 2015; 48(4):IX-X. doi: 10.1590/0100-3984.2015.48.4e3.
- 44** Cohen MP, Mendes GG, Bitencourt AGV, Caggiano FGV, Queiroz-Andrade M, Chojniak R, Fonseca EA. Early post-operative doppler ultrasound as a predictive factor for vascular complications after liver transplantation. *OMICS J Radiol* 2015; 4:194. doi:10.4172/2167-7964.1000194
- 45** Costa AAB, Valadares CV, Baiocchi G, Mantoan H, Saito A, Sanches S, Guimarães AP, Achatz MI. Neoadjuvant chemotherapy followed by interval debulking surgery and the risk of platinum resistance in epithelial ovarian cancer. *Ann Surg Oncol* 2015; 22 Suppl 3:971-8. doi: 10.1245/s10434-015-4623-z
- 46** Costa ET, Barnabé GF, Li M, Dias AA, Machado TR, Asprino PF, Cavalher FP, Ferreira EN, Del Mar Inda M, Nagai MH, Malnic B, Duarte ML, Leite KR, de Barros AC, Carraro DM, Chammas R, Armelin HA, Cavenee W, Furnari F, Camargo AA. Intratumoral heterogeneity of ADAM23 promotes tumor growth and metastasis through LGI4 and nitric oxide signals. *Oncogene* 2015; 34(10):1270-9. DOI: 10.1038/ONC.2014.70
- 47** Costa WH, Rosa de Oliveira RA, Santana TB, Bruno Santos Benigno, da Cunha IW, de Cássio Zequi S, Guimaraes GC, Lopes A. Prognostic factors in patients with penile carcinoma and inguinal lymph node metastasis. *Int J Urol* 2015; 22(7):669-73. doi: 10.1111/iju.12759
- 48** Costa WL Jr, Coimbra FJ, Ribeiro HS, Diniz AL, de Godoy AL, de Farias IC, Begnami MD, Soares FA. Total gastrectomy for gastric cancer: an analysis of postoperative and long-term outcomes through time: results of 413 consecutive cases in a single cancer center. *Ann Surg Oncol* 2015; 22(3):750-7. doi: 10.1245/s10434-014-4212-6
- 49** Costa WL Jr, Mantoan H, Brito RH, Ribeiro HS, Diniz AL, Godoy AL, Farias IC, Begnami MD, Soares FA, Coimbra FJ. Pancreatic mucinous cystadenoma with serum CA 19-9 over 1,000,000 U/mL: a case report and review of the literature. *World J Surg Oncol* 2015; 13(1):78. doi: 10.1186/s12957-015-0476-y
- 50** Costa YF, Tjioe KC, Nonogaki S, Soares FA, Pereira Lauris JR, Tostes Oliveira D. Are podoplanin and ezrin involved in the invasion process of the ameloblastomas? *Eur J Histochem* 2015; 59(1):2451. doi: 10.4081/ejh.2015.2451
- 51** Coutinho-Camillo CM, Lourenço SV, Lima LA, Kowalski LP, Soares FA. Expression of apoptosis-regulating miRNAs and target mRNAs in oral squamous cell carcinoma. *Cancer Genet* 2015; 208(7-8):382-9. doi: 10.1016/j.cancergen.2015.04.004
- 52** Cruz VM, Camalionte L, Caruso P. Factors associated with futile end-of-life intensive care in a cancer Hospital. *Am J Hosp Palliat Care* 2015; 32(3):329-34. doi: 10.1177/1049909113518269
- 53** Cunha LL, Marcello MA, Nonogaki S, Morari EC, Soares FA, Vassallo J, Ward LS. Cd8+ tumor-infiltrating lymphocytes and cox2 expression may predict relapse in differentiated thyroid cancer. *Clin Endocrinol (Oxf)* 2015; 83(2):246-53. doi: 10.1111/cen.12586
- 54** da Luz MH, Peres IT, Santos TG, Martins VR, Icimoto MY, Lee KS. Dopamine induces the accumulation of insoluble prion protein and affects autophagic flux. *Front Cell Neurosci* 2015; 9:12. doi: 10.3389/fncel.2015.00012. eCollection 2015

- 55** da Silva SD, Morand GB, Alobaid FA, Hier MP, Mlynarek AM, Alaoui-Jamali MA, Kowalski LP. Epithelial-mesenchymal transition (EMT) markers have prognostic impact in multiple primary oral squamous cell carcinoma. *Clin Exp Metastasis* 2015; 32(1):55-63. doi: 10.1007/s10585-014-9690-1
- 56** Dal Sasso AA, Belém LC, Zanetti G, Souza CA, Escuissato DL, Irion KL, Guimaraes MD, Marchiori E. Birt-Hogg-Dubé syndrome: state-of-the-art review with emphasis on pulmonary involvement. *Respir Med* 2015; 109(3):289-296. DOI: 10.1016/j.rmed.2014.11.008
- 57** de Alexandre RB, Horvath AD, Szarek E, Manning AD, Leal LF, Kardauke F, Epstein JA, Carraro DM, Soares FA, Apanasovich TV, Stratakis CA, Faucz FR. Phosphodiesterase sequence variants may predispose to prostate cancer. *Endocr Relat Cancer* 2015; 22(4):519-30. doi: 10.1530/ERC-15-0134
- 58** De Araújo ÉS, Kashiwabara AY, Achatz MI, Moredo LF, De Sá BC, Duprat JP, Rosenberg C, Carraro DM, Krepischi AC. LINE-1 hypermethylation in peripheral blood of cutaneous melanoma patients is associated with metastasis. *Melanoma Res* 2015; 25(2):173-7. doi: 10.1097/CMR.0000000000000141
- 59** de Araújo ÉS, Pramio DT, Kashiwabara AY, Pennacchi PC, Maria-Engler SS, Achatz MI, Campos AH, Duprat JP, Rosenberg C, Carraro DM, Krepischi AC. DNA methylation levels of melanoma risk genes are associated with clinical characteristics of melanoma patients. *Biomed Res Int* 2015; 2015:376423. doi: 10.1155/2015/376423
- 60** de Baumont A, Maschietto M, Lima L, Carraro DM, Olivier EH, Fiorini A, Barreta LA, Palha JA, Belmonte de Abreu P, Moreira Filho CA, Brentani H. Innate immune response is differentially dysregulated between bipolar disease and schizophrenia. *Schizophr Res* 2015; 161(2-3):215-21. doi: 10.1016/j.schres.2014.10.055
- 61** de Freitas IN, de Campos FG, Alves VA, Cavalcante JM, Carraro D, Coudry Rde A, Diniz MA, Nahas SC, Ribeiro UJr. Proficiency of DNA repair genes and microsatellite instability in operated colorectal cancer patients with clinical suspicion of lynch syndrome. *J Gastrointest Oncol* 2015; 6(6):628-37. doi: 10.3978/j.issn.2078-6891.2015.089
- 62** de Lima PB, Brasil VL, de Castro JF, de Moraes Ramos-Perez FM, Alves FA, Dos Anjos Pontual ML, da Cruz Perez DE. Knowledge and attitudes of Brazilian dental students and dentists regarding bisphosphonate-related osteonecrosis of the jaw. *Support Care Cancer* 2015; 23(12):3421-6. doi: 10.1007/s00520-015-2689-6
- 63** de Melo AC, Karen de Sá V, Sternberg C, Eloisa Helena Ribeiro Olivieri, Werneck da Cunha I, Fabro AT, Carraro DM, de Barros E Silva MJ, Pimenta Inada HK, de Mello ES, Soares FA, Takagaki T, Ferreira CG, Capelozzi VL. Mutational profile and new IASLC/ATS/ERS classification provide additional prognostic information about lung adenocarcinoma: a study of 125 patients from Brazil. *Oncology* 2015; 89(3):175-86. doi: 10.1159/00037655
- 64** de Sá VK, Rocha TP, Moreira A, Soares FA, Takagaki T, Carvalho L, Nicholson AG, Capelozzi VL. Hyaluronidases and hyaluronan synthases expression is inversely correlated with malignancy in lung/bronchial pre-neoplastic and neoplastic lesions, affecting prognosis. *Braz J Med Biol Res* 2015; 48(11):1039-47. doi: 10.1590/1414-431X20154693
- 65** Eleutério SJ, Senerchia AA, Almeida MT, Costa CM, Lustosa D, Calheiros LM, Barreto JH, Brunetto AL, Macedo CR, Petrilli AS. Osteosarcoma in patients younger than 12 years old without metastases have similar prognosis as adolescent and young adults. *Pediatr Blood Cancer* 2015; 62(7):1209-13. doi: 10.1002/pbc.25459

- 66** Espírito-Santo MCC, Alvarado-Mora MV, Pinto PLS, Sanchez MCA, Dias-Neto E, Castilho VLP, Gonçalves SEM, Chieffi PP, Luna EJA, Pinho JRB, Carrilho FJ Gryscheck RCB. Comparative study of the accuracy of different techniques for the laboratory diagnosis of schistosomiasis mansoni in areas of low endemicity in Barra Mansa City, Rio de Janeiro State, Brazil. *Biomed Res Int* 2015; 2015:135689. doi: 10.1155/2015/135689
- 67** Fanelli MF, Abdallah EA, Buim ME, Machado Netto MC, Gasparini Junior JL, Souza E Silva V, Dettino AL, Mingues NB, Romero JV, Ocea LM, Rocha BM, Alves VS, Araújo DV, Chinen LT. Thymidylate synthase expression in circulating tumor cells: A new tool to predict 5-fluorouracil resistance in metastatic colorectal cancer patients. *Int J Cancer* 2015; 137(6):1397-405. doi: 10.1002/ijc.29495
- 68** Felipe Fidalgo, Rodrigues TC, Pinilla-Fernández MG, Silva AG, Maciel MD, Rosenberg C, de Andrade VP, Carraro DM, Krepischi AC. Lymphovascular invasion and histologic grade are associated with specific genomic profiles in invasive carcinomas of the breast. *Tumour Biol* 2015; 36(3):1835-48. doi: 10.1007/s13277-014-2786-z
- 69** Ferreira EN, de Campos Molina G, Puga RD, Nagai MA, Campos AH, Guimarães GC, Nunes DN, Pasqualini R, Arapd W, Brentani H, Dias-Neto E, Brentani RR, Carraro DM. Linear mRNA amplification approach for RNAseq from limited amount of RNA. *Gene* 2015; 564(2):220-7. doi: 10.1016/j.gene.2015.03.058
- 70** Ferreira JC, Medeiros P Jr, Rego FM, Caruso P. Risk factors for noninvasive ventilation failure in cancer patients in the intensive care unit: a retrospective cohort study. *J Crit Care* 2015; 30(5):1003-7. doi: 10.1016/j.jcrc.2015.04.121
- 71** Fitarelli-Kiehl M, Giacomazzi J, Santos-Silva P, Graudenz MS, Palmero EI, Michelli RA, Achatz MI, de Toledo Osório CA, de Faria Ferraz VE, Picanço CG, Ashton-Prolla P. The breast cancer immunophenotype of TP53-p.R337H carriers is different from that observed among other pathogenic TP53 mutation carriers. *Fam Cancer* 2015; 14(2):333-6. doi: 10.1007/s10689-015-9779-y
- 72** Fonseca FP, Basso MP, Mariano FV, Kowalski LP, Lopes MA, Martins MD, Rangel AL, Santos-Silva AR, Vargas PA. Vascular endothelial growth factor immunoexpression is increased in malignant salivary gland tumors. *Ann Diagn Pathol* 2015; 19(3):169-74. doi: 10.1016/j.anndiagpath.2015.03.010
- 73** Formiga MNC, Fanelli MF. Aortic dissection during antiangiogenic therapy with sunitinib: a case report. *Sao Paulo Med J* 2015; 133(3):275-7. doi: 10.1590/1516-3180.2013.7380002
- 74** Forsmark CE, Diniz AL, Zhu AX. Consensus Conference on hilar cholangiocarcinoma. *HPB (Oxford)* 2015; 17(8):666-8. doi: 10.1111/hpb.12451
- 75** Fortes FP, Kuasne H, Marchi FA, Miranda PM, Rogatto SR, Achatz MI. DNA methylation patterns of candidate genes regulated by thymine DNA glycosylase in patients with TP53 germline mutations. *Braz J Med Biol Res* 2015; 48(7):610-5. doi: 10.1590/1414-431X20154026
- 76** Fraga-Guedes C, André S, Mastropasqua MG, Botteri E, Toesca A, Rocha RM, Peradze N, Rotmensz N, Viale G, Veronesi P, Gobbi H. Angiosarcoma and atypical vascular lesions of the breast: diagnostic and prognostic role of MYC gene amplification and protein expression. *Breast Cancer Res Treat* 2015; 151(1):131-40. doi: 10.1007/s10549-015-3379-2
- 77** Franco RM, Guimarães MD, Moreira BL, Bitencourt AG, Hochhegger B, Marchiori E. Enhancing survival with early surgical resection of endobronchial metastasis in a follow-up of ovarian carcinoma. *Radiol Bras* 2015; 48(2):130. doi: 10.1590/0100-3984.2013.0020
- 78** Freitas RR, Baiocchi G, Hatschbach SB, Linhares JC, Guerreiro JA, Minari CL, Ribeiro R, Jung J, Zukovski T, Lopes A. Can a sentinel node mapping algorithm detect all positive lymph nodes in cervical Cancer? *Ann Surg Oncol* 2015; 22(5):1564-9. doi: 10.1245/s10434-014-4245-x

- 79** Gamberini MT, Rodrigues DS, Rodrigues D, Victoria Bottino Pontes. Effects of the aqueous extract of *Pimpinella anisum* L. seeds on exploratory activity and emotional behavior in rats using the open field and elevated plus maze tests. *J Ethnopharmacol* 2015; 168:45-9. doi: 10.1016/j.jep.2015.03.053
- 80** Gleber Netto FO, Braakhuis BJ, Triantafyllou A, Takes RP, Natalie Kelner, Rodrigo JP, Strojan P, Vander Poorten V, Rapidis AD, Rinaldo A, Brakenhoff RH, Ferlito A, Kowalski LP. Molecular events in relapsed oral squamous cell carcinoma: recurrence vs secondary primary tumor. *Oral Oncol* 2015; 51(8):738-44. doi: 10.1016/j.oraloncology.2015.04.016
- 81** Gomes LR, Fujita A, Mott JD, Soares FA, Labriola L, Sogayar MC. RÉCK is not an independent prognostic marker for breast cancer. *BMC Cancer* 2015; 15:660. doi: 10.1186/s12885-015-1666-2
- 82** Guimaraes MD, Hochhegger B, Santos MK, Santana PR, Sousa AS Júnior, Souza LS, Marchiori E. Magnetic resonance imaging of the chest in the evaluation of cancer patients: state of the art. *Radiol Bras* 2015; 48(1):33-42.
- 83** Guimaraes MD. Pulmonary tuberculosis in Brazilian Indians: a picture of this context depicted through radiography. *Radiol Bras* 2015; 48(5):V-VI. doi: 10.1590/0100-3984.2015.48.5e1
- 84** Henderson MA, Burmeister BH, Ainslie J, Fisher R, Di Julio J, Smithers BM, Hong A, Shannon K, Scolyer RA, Carruthers S, Coventry BJ, Babington S, Duprat J, Hoekstra HJ, Thompson JF. Adjuvant lymph-node field radiotherapy versus observation only in patients with melanoma at high risk of further lymph-node field relapse after lymphadenectomy (ANZMTG 01.02/TROG 02.01): 6-year follow-up of a phase 3, randomised controlled trial. *Lancet Oncol* 2015; 16(9):1049-60. doi: 10.1016/S1470-2045(15)00187-4
- 85** Hochhegger B, de Souza VW, Marchiori E, Irion KL, Souza AS Jr, Elias Junior J, Rodrigues RS, Barreto MM, Escuissato DL, Mançano AD, Araujo Neto CA, Guimarães MD, Nin CS, Santos MK, Silva JL. Chest magnetic resonance imaging: a protocol suggestion. *Radiol Bras* 2015; 48(6):373-80. doi: 10.1590/0100-3984.2014.0017
- 86** Jaguar GC, Lima EN, Kowalski LP, Pellizzon AC, Carvalho AL, Boccaletti KW, Alves FA. Double blind randomized prospective trial of bethanechol in the prevention of radiation-induced salivary gland dysfunction in head and neck cancer patients. D87. *Radiother Oncol* 2015; 115(2):253-256. doi: 10.1016/j.radonc.2015.03.017
- 87** Jardim JF, Francisco AL, Gondak R, Damascena A, Kowalski LP. Prognostic impact of perineural invasion and lymphovascular invasion in advanced stage oral squamous cell carcinoma. *Int J Oral Maxillofac Surg* 2015; 44(1):23-8. doi: 10.1016/j.ijom.2014.10.006
- 88** Kelner N, Rodrigues PC, Bufalino A, Fonseca FP, Dos Santos-Silva AR, Miguel MC, Pinto CA, Leme AF, Graner E, Salo T, Kowalski LP, Coletta RD. Activin A immunoexpression as predictor of occult lymph node metastasis and overall survival in oral tongue squamous cell carcinoma. *Head Neck* 2015; 37(4):479-86. doi: 10.1002/hed.23627

- 89** Kim DK, Lee J, Kim SR, Choi DS, Yoon YJ, Kim JH, Go G, Nhung D, Hong K, Jang SC, Kim SH, Park KS, Kim OY, Park HT, Seo JH, Aikawa E, Baj-Krzyworzeka M, van Balkom BW, Belting M, Blanc L, Bond V, Bongiovanni A, Borràs FE, Buée L, Buzás El, Cheng L, Clayton A, Cocucci E, Dela Cruz CS, Desiderio DM, Di Vizio D, Ekström K, Falcon-Perez JM, Gardiner C, Giebel B, Greening DW, Gross JC, Gupta D, Hendrix A, Hill AF, Hill MM, Nolte-'t Hoen E, Hwang do W, Inal J, Jagannadham MV, Jayachandran M, Jee YK, Jørgensen M, Kim KP, Kim YK, Kislinger T, Lässer C, Lee DS, Lee H, van Leeuwen J, Lener T, Liu ML, Lötvall J, Marcilla A, Mathivanan S, Möller A, Morhayim J, Mullier F, Nazarenko I, Nieuwland R, Nunes DN, Pang K, Park J, Patel T, Pocsfalvi G, Del Portillo H, Putz U, Ramirez MI, Rodrigues ML, Roh TY, Royo F, Sahoo S, Schiffelers R, Sharma S, Siljander P, Simpson RJ, Soekmadji C, Stahl P, Stensballe A, Stępień E, Tahara H, Trummer A, Valadi H, Vella LJ, Wai SN, Witwer K, Yáñez-Mó M, Youn H, Zeidler R, Gho YS. EVpedia: a community web portal for extracellular vesicles research. *Bioinformatics* 2015; 31(6):933-9. doi: 10.1093/bioinformatics/btu741
- 90** Kuasne H, Cólus IM, Busso AF, Hernandez-Vargas H, Barros-Filho MC, Marchi FA, Scapulatempo-Neto C, Faria EF, Lopes A, Guimarães GC, Herceg Z, Rogatto SR. Genome-wide methylation and transcriptome analysis in penile carcinoma: uncovering new molecular markers. *Clin Epigenetics* 2015; 7(1):46. doi: 10.1186/s13148-015-0082-4. eCollection 2015
- 91** Lopes MH, Santos TG, Bruna Roz Rodrigues, Queiroz-Hazarbassanov N, Cunha IW, Wasilewska-Sampaio AP, Costa-Silva B, Marchi FA, Bleggi-Torres LF, Sanematsu PI, Suzuki SH, Oba-Shinjo SM, Marie SK, Toulmin E, Hill AF, Martins VR. Disruption of prion protein-HOP engagement impairs glioblastoma growth and cognitive decline and improves overall survival. *Oncogene* 2015; 34(25):3305-14. doi: 10.1038/onc.2014.261
- 92** Lopes RN, Alves FA, Rocha AC, Suassuna TM, Kowalski LP, de Castro JF, Perez DE. Head and neck solitary infantile myofibroma: clinicopathological and immunohistochemical features of a case series. *Acta Histochem* 2015; 117(4-5):431-6. doi: 10.1016/j.acthis.2015.02.001
- 93** Lopes RN, Rabelo GD, Rocha AC, Carvalho PA, Alves FA. Surgical therapy for bisphosphonate-related osteonecrosis of the jaw: six-year experience of a single institution. *J Oral Maxillofac Surg* 2015; 73(7):1288-95. doi: 10.1016/j.joms.2015.01.008
- 94** Lyra TC, Fernando Morbec, Guimarães MD, Franco LF, Marchiori E, Siqueira G, Faloppa CC, Costa AD, Bezerra SM. Rare diagnosis of krukenberg tumor: intrahepatic cholangiocarcinoma. *Open Journal of Medical Imaging* 2015; 5:159-164. doi: 10.4236/ojmi.2015.53020
- 95** Macêdo MP, de Melo FM, Lisboa BC, Andrade LD, de Souza Begnami MD, Aguiar Junior S, de Castro Ribeiro HS, Soares FA, Carraro DM, da Cunha IW. KRAS gene mutation in a series of unselected colorectal carcinoma patients with prognostic morphological correlations: a pyrosequencing method improved by nested PCR. *Exp Mol Pathol* 2015; 98(3):563-567. doi: 10.1016/j.yexmp.2015.03.038
- 96** Macedo MP, Melo FM, Ribeiro Jda S, de Mello CA, de Souza Begnami MD, Soares FA, Carraro DM, da Cunha IW. RAS mutations vary between lesions in synchronous primary colorectal cancer: testing only one lesion is not sufficient to guide anti-EGFR treatment decisions. *Oncoscience* 2015; 2(2):125-30.

- 97** Maia BM, Ling H, Monroig P, Ciccone M, Soares FA, Calin GA, Rocha RM. Design of a miRNA sponge for the miR-17 miRNA family as a therapeutic strategy against vulvar carcinoma. *Mol Cell Probes* 2015; 29(6):420-426. doi: 10.1016/j.mcp.2015.08.002
- 98** Marangoni K, Neves AF, Rocha RM, Faria PR, Alves PT, Souza AG, Fujimura PT, Santos FA, Araújo TG, Ward LS, Goulart LR. Prostate-specific RNA aptamer: promising nucleic acid antibody-like cancer detection. *Sci Rep* 2015; 5:12090. doi: 10.1038/srep12090
- 99** Mariano FV, Costa AF, Gondak RO, Martins AS, Negro AD, Tincani ÁJ, Altemani A, Almeida OP, Kowalski LP. Cellular proliferation index between carcinoma ex-pleomorphic adenoma and pleomorphic adenoma. *Braz Dent J* 2015; 26(4):416-421
- 100** Mariano FV, Gondak RO, Martins A, Coletta RD, Paes de Almeida O, Kowalski LP, Krepschi AC, Altemani A. Genomic copy number alterations of a primary and a secondary metastasizing pleomorphic adenoma. *Histopathology* 2015; 67(3):410-5. doi: 10.1111/his.12655
- 101** Marta GN, Garicochea B, Carvalho AL, Real JM, Kowalski LP. MicroRNAs, cancer and ionizing radiation: where are we? *Rev Assoc Med Bras* 2015; 61(3):275-81. doi: 10.1590/1806-9282.61.03.275
- 102** Marta GN, Riera R, Bossi P, Zhong LP, Licitra L, Macedo CR, de Castro G Junior, Carvalho AL, William WN Jr, Kowalski LP. Induction chemotherapy prior to surgery with or without postoperative radiotherapy for oral cavity cancer patients: Systematic review and meta-analysis. *Eur J Cancer* 2015; 51(17):2596-2603. doi: 10.1016/j.ejca.2015.08.007
- 103** Marta GN, William WN Jr, Feher O, Carvalho AL, Kowalski LP. Induction chemotherapy for oral cavity cancer patients: current status and future perspectives. *Oral Oncol* 2015; 51(12):1069-75. doi: 10.1016/j.oncology.2015.10.009.
- 104** Martins EB, Chojniak R, Kowalski LP, Nicolau UR, Lima EN, Bitencourt AG. Diffusion-weighted MRI in the assessment of early treatment response in patients with squamous-cell carcinoma of the head and neck: comparison with morphological and PET/CT findings. *PLoS One* 2015; 10(11):e0140009. doi: 10.1371/journal.pone.0140009
- 105** Maschietto M, Tahira AC, Puga R, Lima L, Mariani D, Paulsen Bda S, Belmonte-de-Abreu P, Vieira H, Krepschi AC, Carraro DM, Palha JA, Rehen S, Brentani H. Co-expression network of neural-differentiation genes shows specific pattern in schizophrenia. *BMC Med Genomics* 2015; 8:23. doi: 10.1186/s12920-015-0098-9
- 106** Melo JL, Chojniak R, Costa Silva DH, Oliveira Junior JC, Bitencourt AG, Holanda Silva D, Guimarães MD, Silva HC, Dias DG, Rodrigues WC, Brancucci EL, Cruz BM, Schiavon BN, Argenton JL, Camporini MA, Zocchio A. Use of cystatin C and serum creatinine for the diagnosis of contrast-induced nephropathy in patients undergoing contrast-enhanced computed tomography at an oncology centre. *PLoS One* 2015; 10(5):e0122877. doi: 10.1371/journal.pone.0122877
- 107** Merino DM, Shlien A, Villani A, Pienkowska M, Mack SC, Ramaswamy V, Shih DJ, Tatevossian R, Novokmet A, Choufani S, Dvir R, Ben-Arush M, Harris BT, Hwang EI, Lulla RR, Pfister SM, Achatz MI, Jabado N, Finlay JL, Weksberg R, Hawkins C, Taylor MD, Tabori U, Ellison DW, Gilbertson RJ, Malkin D. Molecular characterization of choroid plexus tumors reveals novel clinically relevant subgroups. *Clin Cancer Res* 2015; 21(1):184-92 doi: 10.1158/1078-0432.CCR-14-1324

- 108** Miniello TG, Araújo JP, Lopes RN, Alves FA. Osteonecrosis related to once-yearly zoledronic Acid treatment in an osteoporotic patient after dental implant. *Braz Dent J* 2015; 26(1):86-8. doi: 10.1590/0103-6440201300255
- 109** Montalvão-de-Azevedo R, Vasconcelos GM, Vargas FR, Thuler LC, Pombo-de-Oliveira MS, de Camargo B; Brazilian Embryonic Tumor Group. Collaborators, Ferman S, Lima da Costa CM, Carraro D, Neves GR, Epelman S, Melaragno R, Faro A. RFC-1 80G>A polymorphism in case-mother/control-mother dyads is associated with risk of nephroblastoma and neuroblastoma. *Genet Test Mol Biomarkers* 2015; 19(2):75-81. doi: 10.1089/gtmb.2014.0177
- 110** Mundim FG, Pasini FS, Brentani MM, Soares FA, Nonogaki S, Waitzberg AF. MYC is expressed in the stromal and epithelial cells of primary breast carcinoma and paired nodal metastases. *Mol Clin Oncol* 2015; 3(3):506-14.
- 111** Muñoz JJ, Drigo SA, Barros Filho MC, Marchi FA, Scapulatempo-Neto C, Pessoa GS, Guimarães GC, Trindade Filho JC, Lopes A, Arruda MA, Rogatto SR. Down-regulation of SLC8A1 as a putative apoptosis-evasion mechanism by modulation of calcium levels in penile carcinoma. *J Urol* 2015; 194(1):245-51. doi: 10.1016/j.juro.2014.11.097
- 112** Nassar AP Jr, Zampieri FG, Ranzani OT, Park M. Protocolized sedation effect on post-ICU posttraumatic stress disorder prevalence: a systematic review and network meta-analysis. *J Crit Care* 2015; 30(6):1278-82. doi: 10.1016/j.jcrc.2015.07.023
- 113** Nishinari K, Krutman M, Aguiar Junior S, Pignataro BS, Yazbek G, Bomfim ZG, Teivelis MP, Wolosker N. Surgical outcomes of vascular reconstruction in soft tissue sarcomas of the lower extremities. *J Vasc Surg* 2015;62(1):143-9. doi: 10.1016/j.jvs.2015.02.004
- 114** Nogueira STS, Lima ENP, Nóbrega AF, Torres ICG, Cavicchioli M, Hainaut P, Achatz MIW. (18)F-FDG PET-CT for Surveillance of Brazilian Patients with Li-Fraumeni Syndrome. *Frontiers Oncol* 2015; 5:38. doi: 10.3389/fonc.2015.00038
- 115** Nunes DN, Dias-Neto E, Cardó-Vila M, Edwards JK, Dobroff AS, Giordano RJ, Mandelin J, Brentani HP, Hasselgren C, Yao VJ, Marchiò S, Pereira CA, Passetti F, Calin GA, Sidman RL, Arap W, Pasqualini R. Synchronous down-modulation of miR-17 family members is an early causative event in the retinal angiogenic switch. *Proc Natl Acad Sci U S A* 2015; 112(12):3770-5. doi: 10.1073/pnas.1500008112
- 116** Oleynik M, Finger M, Patrão FD. Automated Classification of Pathology Reports. *Stud Health Technol Inform* 2015; 216:1040.
- 117** Oliveira-Costa JP, de Carvalho AF, da Silveira GG, Amaya P, Wu Y, Park KJ, Gigliola MP, Lustberg M, Cavicchioli Buim ME, Ferreira EN, Kowalski LP, Chalmers JJ, Soares FA, Carraro DM, Ribeiro-Silva A. Gene expression patterns through oral squamous cell carcinoma development: PD-L1 expression in primary tumor and circulating tumor cells. *Oncotarget* 2015; 6(25):20902-20. DOI: 10.18632/oncotarget.3939

- 118** Painter JN, O'Mara TA, Batra J, Cheng T, Lose FA, Dennis J, Michailidou K, Tyrer JP, Ahmed S, Ferguson K, Healey CS, Kaufmann S, Hillman KM, Walpole C, Moya L, Pollock P, Jones A, Howarth K, Martin L, Gorman M, Hodgson S; National Study of Endometrial Cancer Genetics Group (NSECG); CHIBCHA Consortium, De Polanco MM, Sans M, Carracedo A, Castellvi-Bel S, Rojas-Martinez A, Santos E, Teixeira MR, Carvajal-Carmona L, Shu XO, Long J, Zheng VW, Xiang YB; The Australian National Endometrial Cancer Study Group (ANECS), Montgomery GW, Webb PM, Scott RJ, McEvoy M, Attia J, Holliday E, Martin NG, Nyholt DR, Henders AK, Fasching PA, Hein A, Beckmann MW, Renner SP, Dörk T, Hillemanns P, Dürst M, Runnebaum I, Lambrechts D, Coenegrachts L, Schrauwen S, Amant F, Winterhoff B, Dowdy SC, Goode EL, Teoman A, Salvesen HB, Trovik J, Njolstad TS, Werner HM, Ashton K, Proietto T, Otton G, Tzortzatos G, Mints M, Tham E; RENDOCAS, Hall P, Czene K, Liu J, Li J, Hopper JL, Southey MC; Australian Ovarian Cancer Study (AOCS), Ekici AB, Ruebner M, Johnson N, Peto J, Burwinkel B, Marme F, Brenner H, Dieffenbach AK, Meindl A, Brauch H; The GENICA Network, Lindblom A, Depreeuw J, Moisse M, Chang-Claude J, Rudolph A, Couch FJ, Olson JE, Giles GG, Bruinsma F, Cunningham JM, Fridley BL, Børresen-Dale AL, Kristensen VN, Cox A, Swerdlow AJ, Orr N, Bolla MK, Wang Q, Weber RP, Chen Z, Shah M, French JD, Pharoah PD, Dunning AM, Tomlinson I, Easton DF, Edwards SL, Thompson DJ, Spurdle AB. Fine-mapping of the HNF1B multicancer locus identifies candidate variants that mediate endometrial cancer risk. *Hum Mol Genet* 2015; 24(5):1478-92. doi: 10.1093/hmg/ddu552
- 119** Paiva TF Jr, de Jesus VH, Marques RA, Costa AAB, Macedo MP, Peresi PM, Damascena A, Rossi BM, Begnami MD, de Lima VC. Angiogenesis-related protein expression in bevacizumab-treated metastatic colorectal cancer: NOTCH1 detrimental to overall survival. *BMC Cancer* 2015; 15:643 doi:10.1186/s12885-015-1648-4
- 120** Paskulin DD, Giacomazzi J, Achatz MI, Costa S, Reis RM, Hainaut P, Dos Santos SE, Ashton-Prolla P. Ancestry of the Brazilian TP53 c.1010G>A (p.Arg337His, R337H) Founder Mutation: Clues from Haplotyping of Short Tandem Repeats on Chromosome 17p. *PLoS One* 2015; 10(11):e0143262. doi: 10.1371/journal.pone.0143262
- 121** Patrão DF, Oleynik M, Massicano F, Morassi Sasso A. Recruit - an ontology based information retrieval system for clinical trials recruitment. *Stud Health Technol Inform* 2015; 216:534-8.
- 122** Pereira DL, Dos Santos Ferreira AC, de Faria GP, Kwee JK. Autophagy interplays with apoptosis and cell cycle regulation in the growth inhibiting effect of trisenox in HEP-2, a laryngeal squamous cancer. *Pathol Oncol Res* 2015; 21(1):103-11.
- 123** Perez AA, Balabram D, Rocha RM, da Silva Souza Á, Gobbi H. Co-expression of p16, Ki67 and COX-2 is associated with basal phenotype in high-grade ductal carcinoma in situ of the breast. *J Histochem Cytochem* 2015; 63(6):408-16. doi: 10.1369/0022155415576540
- 124** Perini MV, Montagnini AL, Coudry R, Patzina R, Penteado S, Abdo EE, Diniz A, Jukemura J, da Cunha JE. Prognostic significance of epidermal growth factor receptor overexpression in pancreas cancer and nodal metastasis. *ANZ J Surg* 2015; 85(3):174-8. doi: 10.1111/ans.12399
- 125** Piana de Andrade V, Melo LL, Aparecida Bueno de Toledo Osório C, Andrade WP. Sentinel node biopsy after neoadjuvant chemotherapy: prechemotherapy nodal status is crucial for test performance. *Arch Pathol Lab Med* 2015; 139(7):845. doi: 10.5858/arpa.2014-0394-LE

- 126** Pompeo AC, Zequi Sde C, Pompeo AS. Penile cancer: organ-sparing surgery. *Curr Opin Urol* 2015; 25(2):121-8. doi: 10.1097/MOU.0000000000000149
- 127** Rabelo GD, Assunção JN Jr, Chavassieux P, Soares HA, Alves FA, Lemos CA Jr. Bisphosphonate-Related Osteonecrosis of the Jaws and Its Array of Manifestations. *J Maxillofac Oral Surg* 2015; 14(3):699-705. doi: 10.1007/s12663-014-0707-8
- 128** Rangel MP, de Sá VK, Martins V, Martins JR, Parra ER, Mendes A, Andrade PC, Reis RM, Longatto-Filho A, Oliveira CZ, Takagaki T, Carraro DM, Nader HB, Capelozzi VL. Tissue hyaluronan expression, as reflected in the sputum of lung cancer patients, is an indicator of malignancy. *Braz J Med Biol Res* 2015; 48(6):557-67. doi: 10.1590/1414-431X20144300
- 129** Rennó AL, Alves-Júnior MJ, Rocha RM, De Souza PC, de Souza VB, Jampietro J, Vassallo J, Hyslop S, Anhê GF, de Moraes Schenka NG, Soares FA, Schenka AA. Decreased expression of stem cell markers by simvastatin in 7,12-dimethylbenz (a) anthracene (DMBA)-induced Breast Cancer. *Toxicol Pathol* 2015; 43(3):400-10. doi: 10.1177/0192623314544707
- 130** Roa W, Kepka L, Kumar N, Sinaika V, Matiello J, Lomidze D, Hentati D, Guedes de Castro D, Dyttus-Cebulok K, Drodge S, Ghosh S, Jeremić B, Rosenblatt E, Fidarova E. International Atomic Energy Agency randomized phase III study of radiation therapy in elderly and/or frail patients with newly diagnosed glioblastoma multiforme. *J Clin Oncol* 2015; 33(35):4145-50. doi: 10.1200/JCO.2015.62.6606
- 131** Robbiani DF, Deroubaix S, Feldhahn N, Oliveira TY, Callen E, Wang Q, Jankovic M, Silva IT, Rommel PC, Bosque D, Eisenreich T, Nussenzweig A, Nussenzweig MC. Plasmodium infection promotes genomic instability and AID-dependent B cell lymphoma. *Cell* 2015; 162(4):727-37. doi: 10.1016/j.cell.2015.07.019
- 132** Rocha AM, Anjos LG, Cunha IW, Vassallo J, Soares FA, Rocha RM. Immunohistochemical assessment of PTEN in vulvar cancer: Best practices for tissue staining, evaluation, and clinical association. *Methods* 2015; 77-78:20-4 doi: 10.1016/j.ymeth.2014.12.017
- 133** Rodrigo JP, Kowalski LP, Silver CE, de Bree R, Rinaldo A, Shaha AR, Strojan P, Elsheikh MN, Haigentz M Jr, Sanabria A, Coskun HH, Takes RP, Ferlito A. When is reoperative surgery not indicated for recurrent head and neck squamous cell carcinoma? *Eur Arch Otorhinolaryngol* 2015; 272(2):259-62. doi: 10.1007/s00405-013-2828-y
- 134** Roffé M, Lupinacci FC, Soares LC, Hajj GN, Martins VR. Two widely used RSK inhibitors, BI-D1870 and SL0101, alter mTORC1 signaling in a RSK-independent manner. *Cell Signal* 2015; 27(8):1630-42. doi: 10.1016/j.cellsig.2015.04.004
- 135** Salameh A, Lee AK, Cardó-Vila M, Nunes DN, Efstatithiou E, Staquicini FI, Dobroff AS, Marchiò S, Navone NM, Hosoya H, Lauer RC, Wen S, Salmeron CC, Hoang A, Newsham I, Lima LA, Carraro DM, Oliviero S, Kolonin MG, Sidman RL, Do KA, Troncoso P, Logothetis CJ, Brentani RR, Calin GA, Cavenee WK, Dias-Neto E, Pasqualini R, Arap W. PRUNE2 is a human prostate cancer suppressor regulated by the intronic long noncoding RNA PCA3. *Proc Natl Acad Sci U S A* 2015; 112(27):8403-8. doi: 10.1073/pnas.1507882112
- 136** Sales KU, Friis S, Konkel JE, Godiksen S, Hatakeyama M, Hansen KK, Rogatto SR, Szabo R, Vogel LK, Chen W, Gutkind JS, Bugge TH. Non-hematopoietic PAR-2 is essential for matrix metalloproteinase-driven pre-malignant progression and potentiation of ras-mediated squamous cell carcinogenesis. *Oncogene* 2015; 34(3):346-56. doi: 10.1038/onc.2013.563

- 137** Sanchez DF, Soares F, Alvarado-Cabrero I, Cañete S, Fernández-Nestosa MJ, Rodríguez IM, Barreto J, Cubilla AL. Pathological factors, behavior, and histological prognostic risk groups in subtypes of penile squamous cell carcinomas (SCC). *Semin Diagn Pathol* 2015; 32(3):222-31. doi: 10.1053/j.semdp.2014.12.017.
- 138** Santiago KM, França de Nóbrega A, Rocha RM, Rogatto SR, Achatz MI. Xeroderma pigmentosum: low prevalence of germline XPA mutations in a Brazilian XP population. *Int J Mol Sci* 2015; 16(4):8988-96. doi: 10.3390/ijms16048988
- 139** Santos FN, de Castris TB, Cruz MR, Riera R. Chemotherapy for advanced non-small cell lung cancer in the elderly population. *Cochrane Database Syst Rev* 2015; 10:CD010463
- 140** Santos TG, Lopes MH, Martins VR. Targeting prion protein interactions in cancer. *Prion* 2015; 9(3):165-73. doi: 10.1080/19336896.2015.1027855
- 141** Santos TRA, Tundisi CF, Ramos H, Maia MAC, Pellizzon ACA, Maria Silva LG, Fogaroli RC, Chen MJ, Suzuki SH, Dias Jr JES, Sanematsu Jr PI, Castro DG. Local control after radiosurgery for brain metastases: predictive factors and implications for clinical decision. *Radiat Oncol* 2015; 10(1):63. doi: 10.1186/s13014-015-0367-y
- 142** Sapienza LG, Aiza A, Gomes MJ, Chen MJ, Pellizzon AC, Mansur DB, Baiocchi G. Bladder (ICRU) dose point does not predict urinary acute toxicity in adjuvant isolated vaginal vault high-dose-rate brachytherapy for intermediate-risk endometrial cancer. *J Contemp Brachytherapy* 2015; 7(5):357-362.
- 143** Sapienza LG, Gomes MJ, Maliska C, Norberg AN. Hemoptysis due to fungus ball after tuberculosis: a series of 21 cases treated with hemostatic radiotherapy. *BMC Infect Dis* 2015; 15:546. doi: 10.1186/s12879-015-1288-y
- 144** Sato-Kuwabara Y, Melo SA, Soares FA, Calin GA. The fusion of two worlds: non-coding RNAs and extracellular vesicles-diagnostic and therapeutic implications (Review). *Int J Oncol* 2015; 46(1):17-27. doi: 10.3892/ijo.2014.2712
- 145** Seda Neto J, Feier FH, Bierrenbach AL, Toscano CM, Fonseca EA, Pugliese R, Candido HL, Benavides MR, Porta G, Chapchap P. Impact of Kasai portoenterostomy on liver transplantation outcomes: a retrospective cohort study of 347 children with biliary atresia. *Liver Transpl* 2015; 21(7):922-7. doi: 10.1002/lt.24132
- 146** Shang H, Danielle Braggio,, Lee YJ, Al Sanna GA, Creighton CJ, Bolshakov S, Lazar AJ, Lev D, Pollock RE. Targeting the Notch pathway: a potential therapeutic approach for desmoid tumors. *Cancer* 2015; 121(22):4088-96. doi: 10.1002/cncr.29564
- 147** Silva GB, Macedo MP, Gibbons IL, Mendes AP, Pinto CAL, Duprat Neto JP. Vemurafenib and cutaneous adverse events: report of five cases. *Anais Bras Dermatol* 2015; 90(3 suppl 1):242-6 doi: 10.1590/abc1806-4841.201853841
- 148** Silva JAP, Emilia de Souza Fabre M, Waitzberg DL. Omega-3 supplements for patients in chemotherapy and/or radiotherapy: a systematic review. *Clin Nutr* 2015; 34(3):359-366. doi: 10.1016/j.clnu.2014.11.005
- 149** Silva SD, Marchi FA, Xu B, Bijan K, Aloabaid F, Mlynarek A, Rogatto SR, Hier M, Kowalski LP, Alaoui-Jamali MAA. Predominant Rab-GTPase amplicons contributing to oral squamous cell carcinoma progression to metastasis. *Oncotarget* 2015; 6(26):21950-63

- 150** Sousa EA, Lourenço SV, de Paiva Prudente F, Vartanian JG, Filho JG, Kowalski LP, Soares FA, Coutinho-Camillo CM. Head and neck squamous cell carcinoma lymphatic spread and survival: study of the relevance of VEGF family for tumor evaluation. *Head Neck* 2015; 37(10):1410-6. doi: 10.1002/hed.23765.E81
- 151** Sperandio FF, Simões A, Corrêa L, Aranha AC, Giudice FS, Hamblin MR, Sousa SC. Low-level laser irradiation promotes the proliferation and maturation of keratinocytes during epithelial wound repair. *J Biophotonics* 2015; 8(10):795-803. doi: 10.1002/jbio.201400064
- 152** Spineli VM, Kurashima AY, De Gutiérrez MG. The process of palliative sedation as viewed by physicians and nurses working in palliative care in Brazil. *Palliat Support Care* 2015; 13(5):1293-9. doi: 10.1017/S1478951514001278
- 153** Teixeira SR, Elias Junior J, Nogueira-Barbosa MH, Guimarães MD, Marchiori E, Santos MK. Whole-body magnetic resonance imaging in children: state of the art/resonânciamagnética de corpo inteiro em pediatria: estado da arte. *Radiol Bras* 2015; 48(2):111-20. doi: 10.1590/0100-3984.2014.0005
- 154** Termini L, Fregnani JH, Boccardo E, da Costa WH, Longatto-Filho A, Andreoli MA, Costa MC, Lopes A, da Cunha IW, Soares FA, Villa LL, Guimarães GC. SOD2 immunoexpression predicts lymph node metastasis in penile cancer. *BMC Clin Pathol* 2015; 15:3. doi: 10.1186/s12907-015-0003-7. eCollection 2015
- 155** Toi M, Winer EP, Benson JR, Inamoto T, Forbes JF, von Minckwitz G, Robertson JF, Grobmyer SR, Jatoi I, Sasano H, Kunkler I, Ho AY, Yamauchi C, Chow LW, Huang CS, Han W, Noguchi S, Pegram MD, Yamauchi H, Lee ES, Larionov AA, Bevilacqua JL, Yoshimura M, Sugie T, Yamauchi A, Krop IE, Noh DY, Klimberg VS; 2014 Kyoto Breast Cancer Consensus Conference. Personalization of loco-regional care for primary breast cancer patients (part 1). *Future Oncol* 2015; 11(9):1297-300. doi: 10.2217/fon.15.65
- 156** Toi M, Winer EP, Benson JR, Inamoto T, Forbes JF, von Minckwitz G, Robertson JF, Grobmyer SR, Jatoi I, Sasano H, Kunkler I, Ho AY, Yamauchi C, Chow LW, Huang CS, Han W, Noguchi S, Pegram MD, Yamauchi H, Lee ES, Larionov AA, Bevilacqua JL, Yoshimura M, Sugie T, Yamauchi A, Krop IE, Noh DY, Klimberg VS; 2014 Kyoto Breast Cancer Consensus Conference. Personalization of loco-regional care for primary breast cancer patients (part 2). *Future Oncol* 2015; 11(9):1301-5. doi: 10.2217/fon.15.66
- 157** Tregnago AC, Furlan MV, Bezerra SM, M Porto GC, Mendes GG, Henklain JV, Pinto CA, Kowalski LP, B de Carvalho G, Costa FD. Orbital melanocytoma completely resected with conservative surgery in association with ipsilateral nevus of Ota: Report of a case and review of the literature. *Head Neck* 2015; 37(4):E49-55. doi: 10.1002/hed.23828
- 158** Trevisan F, Pinto JC, de Moraes Alves CA, Pinto CA, Macedo MP, Costa FD, Neto JP. Clear cell sarcoma: a case report from clinic to cytogenetic studies. *Int J Dermatol* 2015; 54(5):e126-31. doi: 10.1111/ijd.12147
- 159** Tyng CJ, Almeida MF, Barbosa PNV, Bitencourt AG, Berg JA, Maciel MS, Coimbra FJ, Schiavon LH, Begnami MD, Guimarães MD, Zurstrassen CE, Chojniak R. Computed tomography-guided percutaneous core needle biopsy in pancreatic tumor diagnosis. *World J Gastroenterol* 2015; 21(12):3579-86. doi: 10.3748/wjg.v21.i12.3579
- 160** Tyng CJ, Luiz Henrique Oliveira Schiavon, Coimbra FJF, Barbosa PNV, Bitencourt AGV, Almeida MFA, Schiavon ACSA, Diniz AL, Guimarães MD, Chojniak R. Modified preoperative CT-guided localization of colorectal liver metastases with metallic clips – technical note. *Clin Colorectal Cancer* 2014; 14(2):123-7 doi: http://dx.doi.org/10.1016/j.clcc.2014.12.00

- 161** Tyng CJ, Nogueira VH, Bitencourt AG, Santos LC, Souza TV, Zilio MB, Barbosa PNV, Lima EN, Gross JL, Chojniak R. Computed tomographically guided injection of cyanoacrylate in association with preoperative radioguided occult lesion localization of ground-glass opacities. *Ann Thorac Surg* 2015; 99(5):1838-40. doi: 10.1016/j.athoracsur.2015.01.043
- 162** Valadares LJ, Wilson Costa Junior, Ribeiro HS, Diniz AL, Coimbra FJ, Herman P. Resection of liver metastasis from neuroendocrine tumors: evaluation of results and prognostic factors. *Rev Col Bras Cir* 2015; 42(1):25-31. doi: 10.1590/0100-69912015001006
- 163** Vassallo J, Rodrigues AF, Campos AH, Rocha RM, da Cunha IW, Zequi SC, Guimarães GC, da Fonseca FP, Lopes A, Cubilla A, Soares FA. Pathologic and immunohistochemical characterization of tumoral inflammatory cell infiltrate in invasive penile squamous cell carcinomas: Fox-P3 expression is an independent predictor of recurrence. *Tumour Biol* 2015; 36(4):2509-16. doi: 10.1007/s13277-014-2864-2
- 164** Voorwald FA, Marchi FA, Rolando André Rios Villacis, Alves CE, Toniollo GH, Amorim RL, Drigo SA, Rogatto SR. Molecular expression profile reveals potential biomarkers and therapeutic targets in canine endometrial lesions. *PLoS One* 2015; 10(7):e0133894. doi: 10.1371/journal.pone.0133894
- 165** Xavier-Ferrucio JM, Pericole FV, Lopes MR, Latuf-Filho P, Barcellos KS, Dias AI, de Melo Campos P, Traina F, Vassallo J, Saad ST, Favaro P. Abnormal Hedgehog pathway in myelodysplastic syndrome and its impact on patients' outcome. *Haematologica* 2015; 100(12):e491-3. doi: 10.3324/haematol.2015.124040
- 166** Zampieri FG, Nassar AP Jr, Gusmao-Flores D, Taniguchi LU, Torres A, Ranzani OT. Importance of a registered and structured protocol when conducting systematic reviews: comments about nebulized antibiotics for ventilator-associated pneumonia. *Crit Care* 2015; 19:298. doi: 10.1186/s13054-015-1020-8
- 167** Zampieri FG, Nassar AP Jr, Gusmao-Flores D, Taniguchi LU, Torres A, Ranzani OT. Nebulized antibiotics for ventilator-associated pneumonia: a systematic review and meta-analysis. *Crit Care* 2015; 19(1):150. doi: 10.1186/s13054-015-0868-y
- 168** Zequi Sde C. Editorial in this issue. *Int Braz J Urol* 2015; 41(4):611-2. doi: 10.1590/S1677-5538.IBJU.2015.04.01

FSC